



Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

Lokalkirken Åkra  
Ola Alsaker  
Vikingvegen 1

NOR-4270 Åkrehamn

**Delivery address:**

Lokalkirken Åkra  
Ola Alsaker  
Vikingvegen 1

NOR-4270 Åkrehamn

**Invoice Nr.: 64795849**

Date: 28.12.2022

Your customer no.: 17808745

**Order No.: 202251.323555 / 736**

Sales Person: Katri Eveliina Nurkkala

Telephone: 0049 9546 / 9223 56

Method of Shipment: PostNord

Your Reference:

Organisasjonsnummer: 925164852

**Please include your customer no.: 17808745 with payment by bank transfer!**

Receiver: Thomann GmbH

BBAN: 82001000981

IBAN: NO5082001000981

SWIFT/BIC: DNBANOKK

Pos.	Article	Amount	Unit	Unit Price	Total Price
001.00	105250 Thomann V2020 Black, cable straps, 20mm x 200mm, pack of 10, ideal for microphone and speaker cables up to 10m, colour black	3	piece	79,00 NOK	237,00 NOK
002.00	154244 Stairville 400BK general-purpose tape, 50m x 50mm, black	1	piece	51,00 NOK	51,00 NOK
003.00	293237 Stairville Power Twist Link Cable 5,0m, NC3FCA blue - NC3FCB blue / grey Rubber Extension Cable H07RN-F 3G1,5 mm <sup>2</sup> .	4	piece	333,00 NOK	1.332,00 NOK
004.00	354114 Stairville PDC3CC 3 pin DMX cable 3.0 mtr. white color coding. Professional DMX cable with 110 Ohms., Connectors: 1x 3 pin. XLR male, 1x 3 pin. XLR female, Ø 2 x 0.34 mm <sup>2</sup> cable and connector color: black, color ring: white, including cable ties Hook and loop.	10	piece	89,00 NOK	890,00 NOK
005.00	254346 Global Truss Half Coupler - 48-51mm, 100kg, includes M10 screws. Width: 30mm. Max load capacity: 100kg. Finish: Black	10	piece	72,00 NOK	720,00 NOK

Amount carried forward : **3.230,00 NOK**



Pos.	Article	Amount	Unit	Unit Price	Total Price
006.00	<b>480200</b> Stairville IEC Patch Extension Cable, length: 3,0 m, H05VV-F 3G1,0 mm <sup>2</sup> , colour: black, plug: IEC C13, female IEC C14, Max: 10A	8	piece	71,00 NOK	568,00 NOK
007.00	<b>368334</b> AKAI Professional MPD 232, USB Controller, 64-part, 32-step sequencer to control pad events, 16 Thick Fat RGB illuminated velocity and pressuresensitive MPC pads, 64 assignable pads accessible via 4 banks, 8 assignable faders, 8 assignable Q-Link knobs, 8 assignable Q-Link buttons, 72 assignable controls accessible via 3 banks, Classic MPC Note Repeat, MPC Swing, 16 Level, FullLevel and Tap Tempo, 30 presets total, with configurations for most popular DAWs, iOS compatible using the Camera Connection Kit (sold separately), MIDI In and Out jacks for controlling external gear, Dedicated Transport controls, optional Powersupply 6V DC, 1A Pin positive (#192043, not included), Includes Ableton Live Lite (download required), System: Mac, PC, Dimensions WDH: 423 x 253 x 44 mm, Weight: 1,6 kg	1	piece	2599,00 NOK	2.599,00 NOK
008.00	<b>128512</b> the sssnake SM6BK - Microphone cable 6m, XLR 3pin male - XLR 3pin female, Conductor area: 2x0,22mm <sup>2</sup> , diameter: 6mm , length: 6m, color: black	10	piece	68,00 NOK	680,00 NOK
010.00	<b>488628</b> Eurolite LED PT-100/32 Pixel DMX Tube; DMX controllable pixel tube with RGB color mixing; 96 x SMD 5050 3in1 TCL RGB; divided into 32 pixels individually controllable via DMX; Auto, music, master / slave and DMX mode (3, 5, 8, 48 or 96 DMX channels); Metal housing with swiveling mounting brackets; Power twist power connectors; Power supply: 100-240 V AC, 50/60 Hz; Total connected load: 30 W; Degree of protection: IP20; DMX input: 3-pin XLR (M) built-in version; DMX output: 3-pin XLR (W) built-in version; Fan: Without, because convection-cooled; Beam angle (1/2 peak): 120 °; Housing color: black; Length: 99.9 cm; Width: 5.9 cm; Height: 15.3 cm; Weight: 2.10 kg;	6	piece	1835,00 NOK	11.010,00 NOK
011.00	<b>354115</b> Stairville PDC3CC 3 pin DMX cable 5.0 mtr. green color coding. Professional DMX cable with 110 Ohms., Connectors: 1x 3 pin. XLR male, 1x 3 pin. XLR female, Ø 2 x 0.34 mm <sup>2</sup> cable and connector color: black, color ring: green, including cable ties Hook and loop.	6	piece	111,00 NOK	666,00 NOK

Amount carried forward : **18.753,00 NOK**



Pos.	Article	Amount	Unit	Unit Price	Total Price
<b>012.00</b>	<b>371207</b>	<b>8</b>	<b>piece</b>	<b>1666,00 NOK</b>	<b>13.328,00 NOK</b>
	<p>ADJ Mega 64 Profile Plus, compact, low profile wash fixture designed for uplighting, stage lighting and wall washing, and will bring color and excitement to any party. The Mega 64 Profile Plus is powered by twelve bright 4-Watt Quad (RGB+UV 4-In-1) LED. This Par is intelligently designed so that it may sit directly on the ground or inside truss without the hanging bracket because the power &amp; DMX Ins and Outs sit on the side of the fixture, not on the rear. The Mega 64 Profile Plus offers smooth RGB Color Mixing with no RGB+UV shadows, has a 25-degree beam angle and has 5 DMX Channel modes for a variety of programming options. Users can also use the ADJ LED RC2 wireless remote, which is sold separately, to control the Mega 64 Profile Plus., Specifications: - Ultra bright flat Par 64 with 12 x 4W Quad (RGB+UV 4-IN-1) LEDs, - Smooth RGB Color Mixing (fast or slow color change operation) with no RGB+UV shadows, - Power &amp; DMX Ins/Outs are intelligently designed to sit sideways so the unit can be set flat on the ground, - Great as an architectural wall wash or for performance stages where traditional stage lighting emit a lot of heat onto performers, - 5 DMX Channel Modes: 4/5/6/9/10 Channels, - 5 Operational modes: RGB+UV Dimmer Mode, Sound Active Mode, Auto Run Mode (16 Color Change Programs, 16 Color Fade Programs, &amp; Color Change &amp; Fade Combination), Static Color Mode, &amp; DMX Controlled, - Stand Alone or Master/Slave Configuration, - Beam Angle: 25 degrees, - 4-Button DMX LED Display, - 64 built-in Color Macros, - Flicker Free, - DMX-512 protocol, - LED Pulse and strobe effect, - Linkable via 3-pin XLR cable, - Electronic Dimming: 0-100%, - Includes scissor yoke to hang on truss, mount on a wall or set on the ground, - Long Life LEDs (50,000 hrs.), - Power Draw: 54W Max, - IEC AC input and output on rear to daisy chain power (Up to 12 Mega 64 Profile Plus fixture's), - Compatible with ADJ LED RC2 wireless infrared remote control up to 30 ft./ 10M (sold separately), - Multi-voltage operation: AC 100V-240V 50/60Hz, - Dimensions (LxWxH): 261 x 260 x 110mm, - Weight: 2.1 kg.</p>				
<b>013.00</b>	<b>449224</b>	<b>2</b>	<b>piece</b>	<b>4799,00 NOK</b>	<b>9.598,00 NOK</b>
	<p>Varytec Hero Spot 90; LED spot moving head with 90W LED and prism, the spot for all heroes with limited budget possesses all essential functions of a "state of the art" Moving Heads, powerful 90 W LED power ensure an assertive beam, Specifications: Light source: 1x 90W LED, light output: 45700 Lux @ 1 m, color temperature: 10800 K, beam angle: 15 °, motorized focus, control: DMX (6/16 channels), master / slave, automatic programs, music control, settings via OLED display with four buttons, electronic Dimmer: 0 - 100%, electronic shutter: 0 - 20 Hz, pan / tilt (16 bit): 540° / 230°, two gobo wheels (6 rotatable gobos + open + 8 static gobos + open), 3-facets Prisma, color wheel with 7 colors + white, Gobo Flow, DMX input and output: XLR 3-pin, power input and output: Power Twist, active cooling, black plastic and metal housing, power supply: 100 - 240 V at 50/60 Hz, power consumption: 120 W, dimensions: 268 x 382 x 255 mm, weight: 7.2 kg; Gobo Size: 22 mm; Image Size: 16 mm; optional IR remote: #470388</p>				
Amount carried forward :					<b>41.679,00 NOK</b>

# th.mann



Invoice Nr.: 64795849

Page 4 of Invoice Nr.: 64795849 from 28.12.2022 to Ola Alsaker (customer number: 17808745)

Pos.	Article	Amount	Unit	Unit Price	Total Price
		Value of goods:			<b>41.679,00 NOK</b>
		Net amount:			33.343,20 NOK
		25,00% Vat.:			8.335,80 NOK
		<b>Total amount:</b>			<b>41.679,00 NOK</b>
		<b>Method of payment:</b>			
		Open invoice			41.679,00 NOK

**Thank you for your purchase!**

Please see overleaf for our standard terms and conditions.  
Unless otherwise specified the invoice date accounts for the date of payment /delivery.

Thomann GmbH  
**Hans-Thomann-Str. 1**  
**D-96138 Burgebrach**

info@thomann.de  
Tel +49 (0)9546 9223-66  
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann  
Amtsgericht Bamberg: HRB 5862  
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233  
Steuernummer: 207/132/90050  
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg  
IBAN DE97 7705 0000 0000 1030 85  
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach  
DE58 7706 2014 0000 0056 30  
GENODEF1BGB

Postbank Nürnberg  
DE41 7601 0085 0283 5648 54  
PBNKDEFF

Deutsche Bank 24  
DE19 7607 0024 0811 5008 00  
DEUTDEB760

MUSIC IS OUR PASSION